

MN/DOT GEODETIC DATABASE

STATION NAME: BM 9026 (6216 F) NGS/ QUAD/STA # /

COUNTY: RAMSEY MAP SHT/INDEX # / NGS ACRN #

¼	SEC	TWP	RNG	LATITUDE	LONGITUDE	GPS	USGS QUAD MAP
<u>NW</u>	<u>10</u>	<u>29</u>	<u>23</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

AGENCY	YR-SET	YR-REC	COND	PHYS	BRDG
<u>R.C.P.W</u>	<u>1989</u>	<u>1993</u>	<u> </u>	<u> </u>	<u> </u>
<u>BY MN DOT</u>					

DESCRIPTION: (1989)

IN THE CITY ROSEVILLE; NEAR THE JUNCTION OF TRUNK HIGHWAY 51 (SNELLING AVENUE) AND COUNTY ROAD C; IN THE NORTHWEST CORNER OF CONCRETE BASE OF HIGH TENSION POWER LINE BASE (# 100) 29 FEET SOUTH OF EAST BOUND COUNTY ROAD C; 440 FEET EAST OF NORTH BOUND TRUNK HIGHWAY 51; 37 FEET NORTH OF RAIL ROAD TRACKS.

The USGS Quad Map is recommended as an aid when recovering this station.

ELEVATIONS		ADJUSTMENT			
NGVD 29	NAVD 88	YEAR	ORDER	METHOD	REFERENCE
<u>920.31</u>	<u>920.50</u>	<u>1994</u>	<u>2</u>	<u> </u>	<u> </u>

SUPERCEDED ELEVATIONS

<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

MN ZONE: SPEC COUNTY ZONE:

COORDINATES		GEODETIC POSITIONS		ADJUSTMENT	
X	Y	LATITUDE	LONGITUDE	YEAR	REFERENCE
NAD27: <u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
NAD28: <u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

COUNTY: 556427 +/- 183819 +/-

COORDINATES IN 1991 ADJUSTMENT VALUES. FOR LOCATION PURPOSES ONLY

 / / entered
 / / modified